# Author Index


Adams, E., see Roets, E. 696(1995)131
Albert, K., see Tallarek, U. 696(1995)1
Altria, K.D. and Howells, J.S.
Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341
Amirav, A., see Kalontarov, L. 696(1995)245
Aue, W.A., see Singh, H. 696(1995)153
Axelsson, S., see Karamanos, N.K. 696(1995)295
Bächmann, K., see Boden, J. 696(1995)321
Barry, C., see Humayoun Akhtar, M. 696(1995)123
Baumeister, E., see Tallarek, U. 696(1995)1
Bayer, E., see Tallarek, U. 696(1995)1
Bayona, J.M., see Cai, Y. 696(1995)113
Beckers, J.L.
Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285
Boden, J., Bächmann, K., Kotz, L., Fabry, L. and Pahlke, S.
Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321
Bona, C., see Brumeanu, T.-D. 696(1995)219
Borrull, F., see Marcé, R.M. 696(1995)63
Borrull, F., see Pocurull, E. 696(1995)31
Brinkman, U.A.Th., see Marcé, R.M. 696(1995)63
Brinkman, U.A.Th., see Minnaard, W.A. 696(1995)333
Brumeanu, T.-D., Zaghouani, H. and Bona, C.
Purification of antigenized immunoglobulins derivatized with monomethoxypolyethylene glycol 696(1995)219
Cai, S.-J., McAndrew, R.S., Leonard, B.P., Chapman, K.D. and Pidgeon, C.
Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49
Cai, Y. and Bayona, J.M.
Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113
Calull, M., see Marcé, R.M. 696(1995)63
Castle, M. and Neuteboom, E.
High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93
Caude, M.
Fractionation by Packed-Column SFE and SFC, Principles and Applications (edited by M. Saito, Y. Yamauchi and T. Okuyama) (Book Review) 696(1995)353
Chapman, K.D., see Cai, S.-J. 696(1995)49
Chen, L., see Singh, H. 696(1995)153
Cheskis, S., see Kalontarov, L. 696(1995)245
Cho, Y.J., see Hyun, M.H. 696(1995)173
Claessens, H.A., see Muijselaar, P.G.H.M. 696(1995)273
Cramers, C.A., see Muijselaar, P.G.H.M. 696(1995)273
Crespo, C., see Marcé, R.M. 696(1995)63
Cserháti, T., see Forgács, E. 696(1995)265
Danis, C., see Humayoun Akhtar, M. 696(1995)123
Fabry, L., see Boden, J. 696(1995)321
Farroha, S.M., see Habboush, A.E. 696(1995)257
Feltl, L., see Mňuk, P. 696(1995)101
Folestad, S., see Orwar, O. 696(1995)139
Forgács, E. and Cserháti, T.
Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265
Ghaoui, L. and Green, L.S.
Dual vapor and liquid injector for gas chromatography 696(1995)235
Gomes, C.A.R., see Vasconcelos, M.T. 696(1995)227
Green, L.S., see Ghaoui, L. 696(1995)235
Gripon, J.C., see Roturier, J.M. 696(1995)209
Guiochon, G., see Tallarek, U. 696(1995)1
Habboush, A.E., Farroha, S.M. and Khalaf, H.I.
Extraction–gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257
Heo, G.S., see Hyun, M.H. 696(1995)173
Hjerpe, A., see Karamanos, N.K. 696(1995)295
Honda, F., Honda, H. and Koishi, M.
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19
Honda, H., see Honda, F. 696(1995)19
Hoogmartens, J., see Roets, E. 696(1995)131
Howells, J.S., see Altria, K.D. 696(1995)341
Huang, S.-D., see Lu, C.-S. 696(1995)201
Humayoun Akhtar, M., Danis, C., Sauve, A. and Barry, C.
Gas chromatographic determination of incurred chloramphenicol residues in eggs following optimal extraction 696(1995)123
Hupe, K.-P., see Minnaard, W.A. 696(1995)333
Hyun, M.H., Cho, Y.J., Ryoo, J.-J., Jyung, K.K. and Heo, G.S.
Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173
Jing, H., see Kalontarov, L. 696(1995)245
Jyung, K.K., see Hyun, M.H. 696(1995)173
Kalontarov, L., Jing, H., Amirav, A. and Cheskis, S.
Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245
Karamanos, N.K., Axelsson, S., Vanky, P., Tzanakakis, G.N. and Hjerpe, A.
Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295

Khalaf, H.I., see Habboush, A.E. 696(1995)257
Kołodziejczyk, A.M., see Wodecki, Z. 696(1995)149
Koishi, M., see Honda, F. 696(1995)19
Kotz, L., see Boden, J. 696(1995)321
Le Bars, D., see Roturier, J.M. 696(1995)209
Leonard, B.P., see Cai, S.-J. 696(1995)49
Lu, C.-S. and Huang, S.-D.
Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201
Marcé, R.M., Prosen, H., Crespo, C., Calull, M., Borrull, F. and Brinkman, U.A.Th.
On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63
Marcé, R.M., see Pocurull, E. 696(1995)31
McAndrew, R.S., see Cai, S.-J. 696(1995)49
Minnaard, W.A., Slobodník, J., Vreuls, J.J., Hupe, K.-P. and Brinkman, U.A.Th.
Rapid liquid chromatographic screening of organic micropollutants in aqueous samples using a single short column for trace enrichment and separation 696(1995)333
Miwa, T., see Takeuchi, T. 696(1995)185
Mňuk, P. and Feltl, L.
Gas chromatographic study of the inclusion properties of calixarenes. I. *p-tert.*-Butylcalix[4]arene in a micropacked column 696(1995)101
Muijselaar, P.G.H.M., Claessens, H.A. and Cramers, C.A.
Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273
Muriithi, I.G., see Roets, E. 696(1995)131
Neuteboom, E., see Castle, M. 696(1995)93
Oomens, A.C., see Van Damme, F. 696(1995)41
Orwar, O., Weber, S.G., Sandberg, M., Folestad, S., Tivesten, A. and Sundahl, M.
Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/$\beta$-mercaptoethanol-labelled aliphatic $\alpha$-oligopeptides 696(1995)139
Ou, Q., see Song, L. 696(1995)307
Pahlke, S., see Boden, J. 696(1995)321
Perry, R.L., see Tindall, G.W. 696(1995)349
Pidgeon, C., see Cai, S.-J. 696(1995)49
Pocurull, E., Sánchez, G., Borrull, F. and Marcé, R.M.
Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31
Prosen, H., see Marcé, R.M. 696(1995)63
Roberts, D.M., see Weingarten, B. 696(1995)83
Roets, E., Adams, E., Muriithi, I.G. and Hoogmartens, J.
Determination of the relative amounts of the B and C components of neomycin by thin-layer chromatography using fluorescence detection 696(1995)131
Roturier, J.M., Le Bars, D. and Gripon, J.C.
Separation and identification of hydrophilic peptides in dairy products using FMOC derivatization 696(1995)209
Rustum, A.M.
Determination of chiral purity of ethyl nipecotate using a Chiralcel-OG column 696(1995)75
Ryoo, J.-J., see Hyun, M.H. 696(1995)173
Sánchez, G., see Pocurull, E. 696(1995)31
Sandberg, M., see Orwar, O. 696(1995)139
Sauve, A., see Humayoun Akhtar, M. 696(1995)123
Shibukawa, M.
Theoretical interpretation of the retention of system peaks in partition chromatography with a mobile phase containing electrolytes 696(1995)165
Singh, H., Chen, L. and Aue, W.A.
Occasional sub-ambient temperature programming performed in two "isothermal" gas chromatographs 696(1995)153
Ślebioda, M., see Wodecki, Z. 696(1995)149
Slobodník, J., see Minnaard, W.A. 696(1995)333
Song, L., Ou, Q., Yu, W. and Xu, G.
Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307
Sundahl, M., see Orwar, O. 696(1995)139
Takeuchi, T. and Miwa, T.
Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185
Tallarek, U., Baumeister, E., Albert, K., Bayer, E. and Guiochon, G.
NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1
Tindall, G.W. and Perry, R.L.
Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349
Tivesten, A., see Orwar, O. 696(1995)139
Treiber, L.R.
Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193
Tzanakakis, G.N., see Karamanos, N.K. 696(1995)295
Van Damme, F. and Oomens, A.C.
Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium N,N-diethyldithiocarbamate and liquid chromatography 696(1995)41
Vanky, P., see Karamanos, N.K. 696(1995)295
Vasconcelos, M.T. and Gomes, C.A.R.
Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227
Vreuls, J.J., see Minnaard, W.A. 696(1995)333
Wang, H.-Y., see Weingarten, B. 696(1995)83
Weber, S.G., see Orwar, O. 696(1995)139
Weingarten, B., Wang, H.-Y. and Roberts, D.M.
Determination of codeine in human plasma by high-performance liquid chromatography with fluorescence detection 696(1995)83
Winzor, D.J.
Measurement of binding constants by capillary electrophoresis 696(1995)160
Wodecki, Z., Ślebioda, M. and Kołodziejczyk, A.M.
Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149
Xu, G., see Song, L. 696(1995)307
Yu, W., see Song, L. 696(1995)307
Zaghouani, H., see Brumeanu, T.-D. 696(1995)219